



CERTIFICATE OF CONSTANCY OF PERFORMANCE
2268-CPR-189

Notified body No. 2268

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product:

fire resisting and smoke control pedestrian doorset
(product)

Single leaf external steel hinged doorset Besta
(see annex 1)
(product type and parameters)

produced by the manufacturer

UAB "Asmodas"

Dubysos str. 23, LT 91181, Klaipėda, Lithuania/ company code: 241856270
(name and address of the manufacturer, company code)

in the manufacturing plant

Skaidrioji str. 22-1, LT 96155, Gargždai, Lithuania
(address of the manufacturing plant)

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the standard

EN 16034:2014 *(shall only be applied together with EN 14351-1:2006+A2:2016*)

under system 1 are applied and that the products and the factory production control fulfils all the prescribed requirements set out above.

This certificate was first issued on **2018-05-08** and will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product and the factory production control itself are not modified significantly.

The certificate issued on 2022-03-17.

Mindaugas Grigonis
Certification business unit manager

CERTIFICATE

* - this standard is adopted as Lithuanian national standard.

CERTIFICATE OF CONSTANCY OF PERFORMANCE
2268-CPR-189
Annex 1



Product: single leaf external steel hinged doorset Besta			
Essential Characteristics	Test/classification method	Declared value ¹⁾	Notes
Resistance to fire	EN 1634-1 EN 13501-2	E 60, EI ₁ 45, EI ₂ 60, EW 60	class
Smoke control	EN 1634-3 EN 13501-2	S _a S ₂₀₀	class
Self-closing	EN 13501-2 EN 16034	0	cycles class
Durability of ability to release	EN 16034, clause 4.5.1	NPD ²⁾	
Durability of self-closing – against ageing (corrosion)	EN 16034, clause 4.5.2.2	NPD ²⁾	
Durability of self-closing – against degradation (cycling testing)	EN 1191	NPD ²⁾	
¹⁾ the scope of products covered by this certificate can be found in the classification report No. 59-9.2018.1 (2022-03-17); ²⁾ NPD – No Performance Determined.			

Mindaugas Grigonis
 Certification business unit manager
 2022-03-17